

MATERIAL SAFETY DATA SHEET GARNET SAND **MSDS**

Date of Issue: August 2017-18
Revision 8

SECTION 1 - IDENTIFICATION

Product Name : **Garnet Sand**
Other Names : garnet sand, almandine garnet, PremiumBlast, SpeedBlast, NewSteel, 30/60 mesh,

Recommended Use : blast cleaning abrasive, water jet cutting abrasive, water filtration media
Supplier : Garnetpro Abrasives Pty Ltd
Address : Australia
Telephone Number : (+ 61 422 868 200 (Australia))

E-mail : info@garnetpro.com.au
website : www.garnetpro.com.au

SECTION 2 - HAZARDS IDENTIFICATION

Non Dangerous but **Hazardous** according to NOHSC: 1008(2004)

The product as supplied contains traces of quartz (crystalline silica) which when used as an abrasive can break down to respirable dust size (particles small enough to go into deep parts of the lung when breathed in). Respirable crystalline silica is a listed carcinogenic substance which may cause silicosis and cancer.

The product is dominantly garnet (almandine variety) which is a Non-Hazardous substance. Traces of dust in the unused product are from calcium carbonate which is also Non-Dangerous and Non-Hazardous.

Risk Phrase: T R49 - contains crystalline silica which may cause cancer by inhalation.

Safety Phrase: S22 - do not breathe dust liberated from used product.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

This material is a natural mixture of almandine garnet and other trace minerals.

Chemical Name	CAS Number	Proportion (weight %)
Almandine Garnet $\text{Fe}_3\text{Al}_2(\text{SiO}_4)_3$	1302-62-1	Greater than 98%
Ilmenite FeTiO_3	103170-28-1	Less than 2.0%
Calcium Carbonate CaCO_3	471-34-1	Less than 1.5%
Zircon ZrSiO_4	149040-68-2	Less than 0.2%
Quartz SiO_2 (Crystalline Silica)	14808-60-7	Less than 0.2%

GARNET PRO ABRASIVES PTY LTD

ABN 61647205883 +61 422 868 200

@info@garnetpro.com.au www.garnetpro.com.au

SECTION 4 – FIRST AID MEASURES

No acute or chronic health effects known in workers arising from short or long term exposure to this product. Note that crystalline silica is present at low levels and chronic exposure, by way of dust inhalation, may cause silicosis and cancer.

- **Swallowed** Non toxic. There are no known health effects resulting from accidental ingestion of small amounts that may occur during normal handling. Ingestion of larger amounts may cause irritation due to abrasiveness. Seek medical attention if symptoms develop.
- **Eye** Particle and dust exposure may cause eye irritation due to abrasiveness. Flush with plenty of clean water for at least 15 minutes or until particles are removed. Seek medical attention if irritation or soreness persists.
- **Skin** There are no known health effects from skin contact that may occur during normal handling. Seek medical attention if symptoms develop. Contact with material under pressure will damage skin by abrasion. Clean and dress any open wounds and seek medical attention. Inhaled: Exposure to dust created by use as a blast cleaning media may cause throat and lung irritation, coughing or shortness of breath. Move to fresh air and blow nose to remove particulates from nasal passages. Seek medical attention if symptoms persist.

It is recommended that eyewash facilities are available in the workplace.

SECTION 5 – FIRE FIGHTING MEASURES

- | | |
|---------------------|--|
| Flammability | : Non-flammable. |
| Flashpoint | : Non-explosive. |
| General Hazard | : This product is non-flammable and does not support combustion. |
| Extinguishing Media | : Use media suitable for the material that is burning. |

SECTION 6 – ACCIDENTAL RELEASE MEASURES

No special precautions necessary. Wear safety equipment as for normal handling. If possible, vacuum the material to avoid generating unnecessary dust, otherwise, sweep any spillages.

SECTION 7 – HANDLING AND STORAGE

No special precautions necessary. Storage areas should be ventilated and dust generation minimised when handling loose bulk product. Use good housekeeping practices to keep dust to a minimum.

GARNET PRO ABRASIVES PTY LTD

ABN 61647205883 ☎ +61 422 868 200

@info@garnetpro.com.au 🌐 www.garnetpro.com.au

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Standards	Crystalline silica (quartz) respirable dust: 0.1 mg/m ³ TWA (time weighted average) may be exceeded when the product is used for dry blast cleaning (respirable dust is ≤ 7 microns particle equivalent aerodynamic diameter) Total dust (inspirable): 10 mg/m ³ TWA
Engineering Controls	Maintain ventilation and/or dust collection to reduce exposure to dust generated during handling, use and clean-up. Maintain a clean and safe work environment and monitor effectiveness.
Personal Protection	Follow local, state or federal guidelines for the use of personal protection equipment. Blast cleaning operations should use an air fed abrasive blast hood conforming with Australian Standards 1715 and 1716, such as a Nova 2000, as well as leather (or equivalent) gloves and apron when in use. Hearing protection should also be worn when blast cleaning.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Pink to red coloured free flowing sand.
Odour	: Odourless.
pH	: 8.0 to 9.0
Vapour Pressure	: Not applicable.
Boiling Point	: Not applicable.
Melting Point	: Approximately 1250°C
Radioactivity	: Not detectable above background levels.
Solubility in Water	: Insoluble.
Specific Gravity	: 4.1
Flammability	: Non-flammable.
Hardness	: 7.5 – 8.0 Mohs
Bulk Density	: Approximately 2.3 t/m ³
Particle Size	: Average range between 0.1 – 0.6mm, depending on grade.

SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability	: Stable and inert material under normal and anticipated storage, handling and use conditions.
Conditions to Avoid	: None known.
Incompatible Materials	: None known.
Decomposition	: Not applicable.
Hazardous Reactions	: None known.

SECTION 11 – TOXICOLOGICAL INFORMATION

Note that crystalline silica is present at low levels, typically less than 0.1%, and chronic exposure to crystalline silica dust through inhalation may cause silicosis and cancer.

GARNET PRO ABRASIVES PTY LTD

ABN 61647205883 ☎ +61 422 868 200

✉ info@garnetpro.com.au 🌐 www.garnetpro.com.au

SECTION 12 – ECOLOGICAL INFORMATION

This material is a naturally occurring mineral with no known ecotoxicity. It is insoluble in water and unlikely to contaminate waterways or food chains.

SECTION 13 – DISPOSAL CONSIDERATIONS

Follow local, state or federal guidelines for disposal of inert solid waste, e.g. for landfill.

MATERIAL CONTAMINATED OR REDUCED TO DUST IN USE MAY NEED SPECIAL HANDLING AND DISPOSAL. IT IS THE RESPONSIBILITY OF THE USER TO UNDERTAKE ANY EVALUATION CLASSIFICATION AND DISPOSAL OF MATERIAL AFTER USE.

SECTION 14 – TRANSPORT INFORMATION

No special precautions necessary. It is recommended to keep bags closed and dry bulk loads covered to prevent dust generation and moisture incursion.

Garnet is not classified as a marine pollutant as it does not meet the criteria of 2.9.3.3.1 “environmentally hazardous substances (aquatic environment)”.

Garnet is not listed as a hazardous good.

SECTION 15 – REGULATORY INFORMATION

Garnetpro Abrasives Pty Ltd Garnet is exempt from the obligation to register under REACH legislation (EC 1907/2006) Annex V 7. This product is an inorganic substance and does not meet the criteria for PBT or vPvB in accordance with Annex XIII of REACH.

No known additional regulations for this product.

SECTION 16 – OTHER INFORMATION

This MSDS has been prepared by Garnetpro Abrasives Pty Ltd in accordance with the National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011(2003)]. As per Worksafe Guidance Note NOHSC 3017, each user should review the information in the specific context of the intended application.

Date of Issue: August 2017-18
Revision 8

End of MSDS.

GARNET PRO ABRASIVES PTY LTD

ABN 61647205883 +61 422 868 200

Page 4 of 4

@info@garnetpro.com.au www.garnetpro.com.au